

00/ET/03

03 -15 -00

JF

THE COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

Attorney Docket: 1504P/BC999069
PATENT

Sir:

Transmitted herewith for filing is the Patent Application of

Inventor(s): **Jennie Ching; Eric Hsiao; Peter S. Lee**

For: **METHOD AND SYSTEM FOR EFFICIENT FILE TRANSFER TO/FROM
A LOCAL TRAFFIC SYSTEM WITH A DMD SYSTEM**

Enclosed with the Patent Application are:

- Two (2) sheets of Drawings
- Declaration and Power of Attorney
- Assignment and Recordation Form
- Information Disclosure Statement (PTO Form 1449)
- A certified copy of a _____ application
- Self Addressed, Stamped Postcard

Jc678 U.S. PRO
09/523832
03/13/00


The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)	LARGE ENTITY
FOR:	NO. FILED	NO. EXTRA	RATE
BASIC FEE			\$ 690.00
TOTAL CLAIMS	20 - 20	= 0	x 18 = \$ 0.00
INDEP. CLAIMS	3 - 3	= 0	x 78 = \$ 0.00
MULTIPLE DEPENDENT CLAIM PRESENTED			+250 = \$ 0.00
If the difference in Col. 1 is less than "0", enter "0" in Col. 2			TOTAL \$ 690.00

The Commissioner is hereby authorized to charge Deposit Account No. 09-0452 (IBM Corporation) the amount of **\$690.00** for payment of application filing fees.

Respectfully submitted,


SAWYER LAW GROUP LLP
P.O. Box 51418
Palo Alto, California 94303
(650) 493-4540



Joseph A. Sawyer, Jr.
Sawyer Law Group LLP
Attorney for Applicants
Reg. No. 30,801

EXPRESS MAIL CERTIFICATE

I hereby certify that the above paper/fee is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on **March 13, 2000**, and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231. "Express Mail" no.: **EL547854252US**. Signature of Person mailing paper/fee:



Joseph A. Sawyer, Jr.

UNITED STATES PATENT APPLICATION

FOR

METHOD AND SYSTEM FOR EFFICIENT FILE TRANSFER TO/FROM A
LOCAL TRAFFIC SYSTEM WITH A DMD SYSTEM

Inventors:

Jennie Ching
Eric Hsiao
Peter S. Lee

SAWYER LAW GROUP LLP
2465 E. Bayshore Rd., Suite 406
Palo Alto, CA 94303

DRAFT - DRAFT

METHOD AND SYSTEM FOR EFFICIENT FILE TRANSFER TO/FROM A LOCAL TRAFFIC SYSTEM WITH A DMD SYSTEM

FIELD OF THE INVENTION

The present invention relates to digital media distribution, and more particularly to efficient file transfer and traffic management for communications between a local traffic system and a central site of a digital media distributor (DMD) system.

5

BACKGROUND OF THE INVENTION

Although broadcasters have sophisticated systems for inserting national commercials into a program stream, including integrated traffic and billing systems, there are numerous obstacles to implementing a system to insert local commercials at small markets into a national program feed distributed by satellite. Until now, such local spot insertion advertising was the responsibility of the local broadcaster or cable operator.

Inserting local advertising poses several nontrivial technical, logistical and business challenges. First, literally hundreds of widely distributed local operators (or affiliates) would need to receive the commercials; ad agencies would have to ship analog tapes to hundreds of organizations, with different traffic and billing systems. These tapes would need to be tested for quality assurance, tracked, and stored until needed. They would then have to be distributed to video tape recorders and readied for computer controlled playout (analog) at the proper time, 24 hours a day, seven days a week. Such infrastructure generally exists at well-funded affiliates in major markets but is nonexistent and prohibitively expensive for smaller operators or affiliates in small markets.

Managing such tapes with ads for local commercials and inserting them properly into the program feed is a complex undertaking not well-suited for the smaller operators, especially for channels with smaller audiences in smaller markets. A quality broadcast involves more than excellent program material; it must provide seamless insertion of national and local advertisements, promotions, and station identifications.

Equally important is the ability to maintain the integrity of the national television programming. Centralized control of the channel's programming (playout) is required to prevent local affiliates from tampering with the programming.

A need exists for efficient communication between a local traffic system and a central site of a digital media distributor system. The present invention addresses such a need.

SUMMARY OF THE INVENTION

Aspects for achieving efficient file transfer and traffic management in a digital media distributor system are presented. The aspects include a central site server, at least one local traffic system, and an Internet file server (IFS) coupled between the central site server and the at least one local traffic system. The IFS acts as an intermediary between the central site and the at least one local traffic system, wherein the IFS supports file transfer in both directions between the central site and the at least one local traffic system.

Through the present invention, an Internet file server provides an intermediary for file transfers between a local traffic system and a central site server. In this manner, efficient management of communication results. Further, the Internet file server also achieves effective

traffic management, particularly through the use of automated server agents. These and other advantages of the present invention will be more fully understood in conjunction with the following detailed description and accompanying drawings.

5

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 illustrates a block diagram of a digital media distribution system, including an Internet file server (IFS), in accordance with the present invention.

Figure 2 illustrates an example of a suitable layered architecture for the central site server.

10

Figure 3 illustrates a diagram of a directory structure example for the IFS.

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95

DETAILED DESCRIPTION

The present invention relates to efficient communication between a local traffic system and a central site in a digital media distributor system. The following description is presented to enable one of ordinary skill in the art to make and use the invention and is provided in the context of a patent application and its requirements. Various modifications to the preferred embodiment and the generic principles and features described herein will be readily apparent to those skilled in the art. Thus, the present invention is not intended to be limited to the embodiment shown but is to be accorded the widest scope consistent with the principles and features described herein.

In accordance with the present invention, a digital media distributor (DMD) provides a complete end-to-end system that gives local cable or network affiliates the ability to

provide local ads and announcement insertion together with the delivery of cable or network feed(s). In general, the DMD integrates the entire process of sales, traffic, digital encoding and storage of spots, transmission of data, local insertion of digital ads and announcements, account reconciliation, and billing. Spots (i.e., media such as commercials, station identification, public service announcements, etc.) are digitized by the cable or network operator, and then digitally transmitted to the local cable head-ends or network affiliates from a central site. These digital spots are then stored on the remote site servers located at each head-end or affiliate.

A block diagram of a DMD in accordance with the present invention is illustrated in Figure 1. As shown, the DMD includes three major components: a central site 10, a distribution network 12, and a remote site 14. The central site 10 is the location for the digital encoding of MPEG-2 files from source video tapes, storage and management of digital files, management of remote site(s) 14, and distribution of schedules and MPEG-2 files. Thus, the processing, analysis, distribution, and management of data occurs at the central site 10. The distribution network 12 is the mechanism by which the remote site(s) 14 receive program streams and digital spots. The data distribution is accomplished via various methods, such as a satellite and/or land-based distribution. The broadcaster may choose to have the program stream sent via terrestrial links (e.g., token ring, ethernet, etc.), while the spot insertion is sent via satellites or vice versa.

The remote site(s) 14 house the remote site server(s) 16. By way of example, a suitable remote site server 16 includes a Pentium processor-based device with a hard disk for local storage and a video switch card (to switch between program and commercial insertion)

running software including Windows NT, DMD programming, Lotus Notes client, Program Loader, and Symantec pcANYWHERE. These unattended, computerized systems receive the local insertion and provide As-Run file generation. The remote site server 16 is a video server that receives and stores digitized spots utilized for local insertion at the cable head-end. The remote site server 16 receives digitally encoded ads via satellite or other distribution network. These spots are decoded to an analog signal and inserted into the cable or network operator feed at scheduled times, i.e., into scheduled local availability times. The remote site server 16 can be customized in various configurations based on the number of output channels required, the type of output format (e.g., NTSC, PAL), the amount of local storage required (i.e., the number of spots on disk), the type of network (satellite or terrestrial), the type of trigger for spot insertion (e.g., time of day, VITC, cue-tome, VBI trigger), the audio format and connections (stereo, mini-XLR or XLR), the redundancy requirements (RAID, mirrored disks), and the preview channel.

By way of example, the following provides a sample process that illustrates an example of one process which the DMD solution can support. A region, e.g., any grouping of one ore many cable head-ends for cities, states, provinces, or countries, defined by cable or network operators in an area, sells a commercial in the local availability time. All remote site servers 16 within the same region play the same material at the same time, including all network programs, national spots, local commercials, announcements, etc. The videotaped segment for the commercial is digitally encoded. The digital material is scheduled for delivery to each remote site server 16 prior to broadcast. The playlist, digitized spots, and the broadcast program stream are sent, via satellite, to all of the remote site servers 16 within

the region. All of the remote site servers 16 within the region air the local spots for that region at the scheduled time. As-Run logs are retrieved by the central site 10 from the remote site servers 16. As-Run logs are sent to the local markets, reviewed, reconciled, and customers are billed. Commercials and As-Run logs are archived.

5 A main component in the central site 10 is the central site server 18. By way of example, a suitable central site server 18 includes an IBM RS/6000 F50 dual CPU system, or a Pentium II compatible PC, running the IBM UNIX operating system, AIX, DB2 server software, Lotus Notes server software, ADSM, Windows NT (for PC-based central site server), and the DMD programming. Suitable components for the control workstations 19 include Pentium compatible PCs running Windows NT, Lotus Notes client, DB2 client, Microsoft Internet Explorer, and DMD programming.

10 The central site server 18 includes software on a suitable computer readable medium that is architected using a layered model, in which each layer isolates the upper layers from the details of the lower layers and individual components within a layer provide a unique set of services, as is well appreciated by those skilled in the art. Figure 2 illustrates an example 15 of a suitable layered architecture for the central site server 18. The top layer 20 addresses the external interfaces of the central site server 18, including a graphical user interface (GUI) component and the interfaces to the external systems. The GUI component, e.g., using Lotus Notes, provides administrators and operators with the ability to monitor and control 20 the DMD. In accordance with the present invention, the interfaces to external systems include interfaces to traffic systems 23 (Fig. 1), which interface to the central site 18 by way of files exchanged on an Internet file server 25 (Fig. 1) in accordance with the present

invention, as described more particularly hereinbelow, interfaces to stations in a box (SIBs) which send Lotus Notes messages, and interfaces to encoder systems (22, Fig. 1), which store encoded spot files in a disk pool server for retrieval by the central site server 18.

Underneath the top layer is a layer 24 of specialized components including a stage manager component 26, an uplink server component 28, and a transmission scheduler component 30. This layer 24 may also include specialized components for creating commands and interpreting responses from SIBs, managing access to all the database queues and other data stores, and providing automated agents that run based on time or events to manage the external interfaces, e.g., processing files received from traffic systems. The stage manager 26 manages any tape related activity, the uplink server 28 manages transmissions through the uplink network (12, Fig. 1), and the transmission scheduler manages scheduling tasks in accordance with the present invention, as described in more detail hereinbelow. Also included as a next layer is a programming layer 32. The layer 32 includes the programming libraries and APIs (application programming interfaces) that are used to build the specialized components. The lower two layers include an operating system layer 34 and a hardware layer 36 for the fundamental operation of the central site server 18, as is well appreciated by those skilled in the art.

Referring again to Figure 1, the Internet file server (IFS) 25 acts an intermediary between the central site server 18 and the local traffic system(s) 23. The purpose of the IFS 25 is to support the transfer of text files in both directions between the local traffic system(s) 23 and the central site server 18. All file transfers are initiated by the local traffic system(s) 23, using a desired Internet transfer protocol, e.g., FTP (file transfer protocol) or HTTP (hypertext

transfer protocol). The IFS 25 handles both inbound and outbound file transfers for local traffic system(s) 23. For SIBs at remote sites 14, the central site server 18 handles their inbound transfers.

In general terms, local affiliate advertisers place information (in a text file) on the IFS

5 25. DMD processes running on the IFS 25 first validate the information and then pass the information to the central site server 18. Information passed between the DMD and the local traffic system 23 includes billing information, objects (e.g., master program, local playlists, network break time), and object status (e.g., spot status). For scheduling, the traffic system initiates scheduling and publishes the master log identifying the times for local breaks within a broadcast day. The affiliate uses the local traffic system 23 to assign spots to the local breaks, creating affiliate playlists. This scheduling information is retrieved from the IFS 25 and automatically imported and analyzed by the central site server 18 to create playlists for each zone and to determine a transmission schedule and playlists for SIBs.

10 Thus, several of the databases on the central site server 18 contain information that must be received from local traffic system(s) 23. Other databases contain information that must be sent to local traffic system(s) 23. In all of these cases, the local traffic system(s) 23 do not communicate directly with the central site server 18. Instead, they communicate with the IFS 25, which, in turn, replicates information with the central site server 18.

15 20 For each type of file, transfers occur in only one direction, i.e., from the local traffic system(s) 23 to the IFS 25, or from the IFS 25 to the local traffic system(s) 23, but not both. The file types, and their transfer directions, are as follows:

Playlist: inbound from the local traffic system 23 to the IFS 25;

Dub list: inbound from the local traffic system 23 to the IFS 25;
Purge list: inbound from the local traffic system 23 to the IFS 25;
Spot status summary: outbound from IFS 25 to the local traffic system 23; and
Consolidated As-Run log: outbound from the IFS 25 to the local traffic system 23.

5 For exchanging files with the local traffic system(s) 23, the IFS 25 provides simultaneous support for both Web browsers (or automated Web agents) and FTP. As described in the following, the IFS 25 provides dual protocol support for both inbound and outbound file transfer.

Inbound (from the local traffic system 23 to the IFS 25):

10 Web browser or Web agent method:

The local traffic system 23 connects to the appropriate database on the IFS 25 via a web browser or web agent and creates a new document (HTML form). The local traffic system 23 then uploads a file via a file upload control (e.g., a JavaScript). An agent detects the new file and makes an entry in the file transfer log.

15 FTP method:

The local traffic system 23 opens an FTP session on the IFS 25, as the appropriate user and transfers a file to the inbound FTP directory on the IFS 25. An agent in the appropriate database scans the inbound FTP directory for new files. When a new file is found, the agent creates a new document and attaches the file. The agent then deletes the file from the FTP directory and makes an entry in the file transfer log.

20 Outbound (from the IFS 25 to the local traffic system 23):

Web browser or Web agent method:

The local traffic system 23 connects to the appropriate database on the IFS 25 via a web browser or a web agent and selects the appropriate document to view and opens it.

The local traffic system 23 then downloads the attachment from the document.

FTP method

5 A agent in the appropriate database on the IFS 25 scans for new documents.

When a new document is found, the agent takes the attachment and detaches it to the appropriate outbound FTP directory. The local traffic system 23 opens an FTP session on the IFS 25 as the appropriate user and transfers available files from the outbound FTP directory.

10 As represented in an example directory structure diagram of Fig. 3, the directory structure for the FTP directories implement a home directory 40 for each DMA, where a DMA refers to the group or unit in the local area that will receive and broadcast program material and perform ad insertion. When a local traffic system 23 connects to the IFS 25 using FTP, it is required to log in using a user name and password that have been uniquely assigned to it based on its DMA, which places the DMA's local traffic system 23 in its own home directory.

15 Within each DMA's home directory 40, there is a standard lower-level directory structure to which the DMA's local traffic system 23 is allowed to change directory. The subdirectory level under the home directory is used to separate files by type, such as playlist 42, dub list 44, purge list 46, spot status 48, and As-Run logs 50. The local traffic system 23 is given read permission throughout its directory tree, but write permission only for inbound directories, 20 where it must deposit files.

Various agents (e.g., Lotus Notes server agents) in the IFS 25 are scheduled to run to perform automated processing of the files transferred to the IFS 25 and to perform scheduled

tasks, such as preparing files to be downloaded by the local traffic system(s) 23. The agents include:

Import Playlists Agent: Finds playlist text files newly received by the IFS 25 (e.g., via FTP) and imports them into database playlist documents;

Transfer Playlists Agent: Transfers data from newly imported or edited playlist documents to the appropriate database;

Import Dub Lists Agent: Finds dub list text files newly received by the IFS 25 (e.g., via FTP) and imports them into database dub list documents;

Transfer Dub Lists Agent: Transfers data from newly imported dub list documents to the appropriate database;

Import Purge Lists Agent: Finds purge list text files newly received by the IFS 25 (e.g., via FTP) and imports them into database purge list documents;

Transfer Purge Lists Agent: Transfers data from newly imported purge list documents to the appropriate database;

Generate Full Spot Summary Agent: Generates a full spot summary text file;

Generate Delta Spot Summary Agent: Generates a spot summary text file of all changes since the previous day;

Export Spots Summaries Agent: Makes newly generated full and delta spot summary text files available for Internet transfer download by local traffic system(s) 23;

Generate Consolidated As-Run Log Agent: Generates a consolidated As-Run log file combining all As-Run files for the previous day;

Export Consolidated As-Run Log Agent: Makes newly generated consolidated As-Run

log text files available for Internet transfer download by local traffic system(s) 23; and

Export File Cleanup Agent: Deletes all exported files from outbound transfer
directories after a designated time has elapsed.

Several databases are utilized for various file types, including NLBS, Playlist, Dub
List, and Purge List databases. The NLBS database stores documents containing the Network
Local Break Schedule for each day. It is used by the Playlist Import Agent for two purposes:
(1) The Playlist Import Agent will not import a playlist if the NLBS document for that day is
not yet available; and (2) If the NLBS document exists, the Playlist Import Agent will use it to
assign Ids to the playlist entries.

The playlist database contains a document for each day's playlist, for each zone, for
each DMA. Data for all entries in a given playlist is stored in fields within the database
document. The original playlist text file is kept as a file attachment to the document. The
central site 10 maintains the primary replica of the playlist database. The playlist database is
also maintained on the IFS 25, in order to receive new playlists transferred by the DMAs.
Once received on the IFS 25, playlists are imported into Notes documents. The database is
then replicated to the central site server 18, where the play transfer task picks up the new
playlists and updates the appropriate database as required.

The dub list database contains a document about spots soon to be required by each
DMA, i.e., each day's dub list, for each DMA. Data for all entries in a given dub list is stored
in fields within the database document. The original dub list text file is kept as a file
attachment to the document. The central site 10 maintains the primary replica of the dub list
database. The dub list database is also maintained on the IFS 25, in order to receive new dub

lists transferred over by the DMAs. Once received on the IFS 25, dub lists are imported into the database document. The database is then replicated to the central site server 18, where the dub transfer task picks up the new dub lists and updates the appropriate database as required.

The purge list database contains a document about spots no longer required by each DMA, i.e., each day's purge list for each DMA. Data for all entries in a given purge list is stored in fields within the database document. The original purge list text file is kept as a file attachment to the document. The central site 10 maintains the primary replica of the purge list database. The purge list database is also maintained on the IFS 25, in order to receive new purge lists transferred over by the DMAs. Once received on the IFS 25, purge lists are imported into the appropriate database documents. The database is then replicated to the central site server 18, where the purge transfer task picks up the new purge lists and updates the appropriate database as required.

Through the present invention, an Internet file server provides an intermediary for file transfers between a local traffic system and a central site server. In this manner, efficient management of communication results. Further, the Internet file server also achieves effective traffic management, particularly through the use of automated server agents.

Although the present invention has been described in accordance with the embodiments shown, one of ordinary skill in the art will readily recognize that there could be variations to the embodiments and those variations would be within the spirit and scope of the present invention. Accordingly, many modifications may be made by one of ordinary skill in the art without departing from the spirit and scope of the appended claims.

CLAIMS

What is claimed is:

- 1 1. A method for achieving efficient file transfer and traffic management in a digital
2 media distributor system, the method comprising:

3 providing an Internet file server (IFS) at a central site of the digital media distributor
4 system; and

5 utilizing the IFS as an intermediary between the central site and at least one local traffic
6 system, wherein the IFS supports file transfer in both directions between the central site and the at
7 least one local traffic system.

- 1 2. The method of claim 1 wherein utilizing further comprises receiving inbound transfers
2 of a playlist file from the at least one local traffic system.

- 1 3. The method of claim 1 wherein utilizing further comprises receiving inbound transfers
2 of a dub list file from the at least one local traffic system.

- 1 4. The method of claim 1 wherein utilizing further comprises receiving inbound transfers
2 of a purge list file from the at least one local traffic system.

- 1 5. The method of claim 1 wherein utilizing further comprises performing outbound
2 transfers of a spot status summary file to the at least one local traffic system.

1 6. The method of claim 1 wherein utilizing further comprises performing outbound
2 transfers of a consolidated As-Run log file to the at least one local traffic system.

1 7. The method of claim 1 further comprising utilizing a plurality of agents to perform
2 automated processing of files transferred to the IFS and to perform scheduled tasks.

1 8. A system for achieving efficient file transfer and traffic management in a digital media
2 distributor system, the system comprising:

3 a central site server;
4 at least one local traffic system; and
5 an Internet file server (IFS) coupled between the central site server and the at least one
6 local traffic system, the IFS acting as an intermediary between the central site and the at least one
7 local traffic system, wherein the IFS supports file transfer in both directions between the central
8 site and the at least one local traffic system.

1 9. The system of claim 8 wherein the IFS receives inbound transfers of a playlist file
2 from the at least one local traffic system.

1 10. The system of claim 8 wherein the IFS receives inbound transfers of a dub list file
2 from the at least one local traffic system.

1 11. The system of claim 8 wherein the IFS receives inbound transfers of a purge list file

2 from the at least one local traffic system.

1 12. The system of claim 8 wherein the IFS performs outbound transfers of a spot status
2 summary file to the at least one local traffic system.

1 13. The system of claim 8 wherein the IFS performs outbound transfers of a consolidated
2 As-Run log file to the at least one local traffic system.

1 14. The system of claim 8 wherein the IFS further utilizes a plurality of agents to
2 perform automated processing of files transferred to the IFS and to perform scheduled tasks.

1 15. A method for achieving efficient file transfer and traffic management in a digital
2 media distributor (DMD) system, the method comprising:
3 utilizing an intermediary for file transfers between a central site and a local traffic system
4 for a DMD; and
5 exchanging files according to a chosen Internet transfer protocol between the local traffic
6 system and the intermediary.

1 16. The method of claim 15 wherein utilizing further comprises utilizing an Internet
2 server as the intermediary.

1 17. The method of claim 15 wherein exchanging files further comprises exchanging files

2 according to a file transfer protocol (FTP).

1 18. The method of claim 15 wherein exchanging files further comprises exchanging files
2 according to a hypertext transfer protocol (HTTP).

1 19. The method of claim 15 further comprising utilizing agents in the IFS to
2 automatically import and transfer list files.

1 20. The method of claim 15 further comprising utilizing agents in the IFS to
2 automatically generate and export summary files.

DOCUMENT EDITION

ABSTRACT

Aspects for achieving efficient file transfer and traffic management in a digital media

distributor system are presented. The aspects include a central site server, at least one local traffic system, and an Internet file server (IFS) coupled between the central site server and the at least one local traffic system. The IFS acts as an intermediary between the central site and the at least one local traffic system, wherein the IFS supports file transfer in both directions between the central site and the at least one local traffic system.

5

CONFIDENTIAL - DRAFT




Fig.1





Fig.2



DECLARATION AND POWER OF ATTORNEY FOR UTILITY PATENT APPLICATION

As a below named joint-inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name,

I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD AND SYSTEM FOR EFFICIENT FILE TRANSFER TO/FROM A LOCAL TRAFFIC SYSTEM WITH A DMD SYSTEM

the specification of which

X is attached hereto.

____ was filed on _____

under Attorney's docket no.: _____

as Application Ser. No.: _____

and was amended on _____ (if applicable).

hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56 (a).

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119, of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)	(Filing Date)	(Status -- patented, pending, abandoned)
(Application Serial No.)	(Filing Date)	(Status -- patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and conduct all business in the United States Patent and Trademark Office connected therewith.

H. St. Julian, Reg. No. 30,329
Anthony N. Magistrale, Reg. No. 35,595
Martin J. McKinley, Reg. No. 31,782
Christopher A. Hughes, Reg. No. 26,914
Edward A. Pennington, Reg. No. 32,588
John E. Hoel, Reg. No. 26,279
George Grosser, Reg. No. 25,629

Joseph C. C. Redmond, Reg. No. 18,753
Joseph A. Sawyer, Jr., Reg. No. 30,801
Janyce R. Mitchell, Reg. No.: 40,095
Stephen G. Sullivan, Reg. No.: 38,329
Michele Liu, Reg. No.: 44,875
Wendell J. Jones, Reg. No. P45,961


Please direct all telephone calls to Mr. Joseph A. Sawyer, Jr. at telephone number (650) 493-4540 and address all correspondence to: **SAWYER LAW GROUP, P.O. Box 51418, Palo Alto, California 94303**

Full Name of first/joint Inventor: **Jennie Ching**

Residence Address: **19204 State Street, Northridge, California 91324**

Country of Citizenship: **United States of America**

Post Office Address: **Same**

Signature of Inventor: 


Date: 3/7/2000

Full Name of second/joint Inventor: **Eric Hsiao**

Residence Address: **1905 Kerns Avenue, San Marino, California 91108**

Country of Citizenship: **United States of America**

Post Office Address: **Same**

Signature of Inventor: 

Date: 3/7/2000

COMBINED DECLARATION/POWER OF ATTORNEY (continued)

Full Name of third/joint Inventor: **Peter S. Lee**

Residence Address: **23140 Park Marco Polo, Calabasas, California 91302**

Country of Citizenship: **United States of America**

Post Office Address: **Same**

Signature of Inventor:



Date: 11/9/00

U.S. PATENT AND TRADEMARK OFFICE